

ZURE

OTTI

LED MIRRORS SPECIFICATION DRAWING

SEPTEMBER 2026

zure.com.au

OPEN MAIN MENU

CONTENTS

MODEL	SIZE	PAGE
ARCHIE Back-Lit LED Half Moon Mirror 1200x800mm - Frameless	1200W x 800H mm	4
ARCHIE Back-Lit LED Half Moon Mirror 1200x800mm - Metal Frame	1200W x 800H mm	5
ARCHIE Back-Lit LED Half Moon Mirror 1500x1000mm - Frameless	1500W x 1000H mm	6
ARCHIE Back-Lit LED Half Moon Mirror 1500x1000mm - Metal Frame	1500W x 1000H mm	7
ARCHIE LED Mirror 900x600mm - Frameless	600W x 900H mm	8
ARCHIE LED Mirror 900x600mm - Metal Frame	600W x 900H mm	9
ARCHIE Front-Lit LED Mirror 1200x800mm	800W x 1200H mm	10
ARCHIE LED Mirror 1500x1000mm - Frameless	1000W x 1500H mm	11
ARCHIE LED Mirror 1500x1000mm - Metal Frame	1000W x 1500H mm	12
BONDI Backlit LED Round Frameless Mirror 800x800mm	800W x 800H mm	13
BONDI LED Round Metal Frame Mirror 800x800mm	800W x 800H mm	14
NOOSA LED Oval Frameless Mirror 900x450mm	450W x 900H mm	15
NOOSA LED Oval Metal Coloured Frame Tuffi Mirror 900x450mm	450W x 900H mm	16
NOOSA Back-Lit LED Oval Frameless Mirror 900x600mm - Horizontal or Vertical	600W x 900H mm	17
NOOSA LED Oval Metal Frame Mirror 900x600mm	600W x 900H mm	18

Click any row to open the corresponding specification drawing.

NEXT CONTENTS

CONTENTS

LED MIRRORS - SPECIFICATION DRAWING | 2/2

MODEL	SIZE	PAGE
NOOSA Back-Lit LED Oval Frameless Mirror 1200x750mm	1200W x 750H mm	19
NOOSA LED Oval Metal Frame Mirror 1200x750mm	1200W x 750H mm	20
NOOSA Back-Lit LED Oval Frameless Mirror 1500x750mm	1500W x 750H mm	21
NOOSA Back-Lit LED Oval Metal Frame Mirror 1500x750mm	1500W x 750H mm	22
NOOSA Back-Lit LED Oval Frameless Mirror 1800x750mm	1800W x 750H mm	23
NOOSA Front-Lit LED Oval Metal Frame Mirror 1800x750mm	1800W x 750H mm	24
NEWPORT LED Soft Square Frameless Back Lit Tuffi Mirror 900x450mm	450W x 900H mm	25
NEWPORT Backlit LED Soft Square Metal Frame Mirror 900x450mm	450W x 900H mm	26
NEWPORT LED Soft Square Frameless Back Lit Tuffi Mirror 900x600mm	600W x 900H mm	27
NEWPORT Back-Lit LED Soft Square Metal Frame Mirror 900x600mm	600W x 900H mm	28
NEWPORT LED Soft Square Frameless Back Lit Tuffi Mirror 1200x750mm	1200W x 750H mm	29
NEWPORT LED Soft Square Metal Frame Mirror 1200x750mm	1200W x 750H mm	30
NEWPORT LED Soft Square Frameless Back Lit Tuffi Mirror 1500x750mm	1500W x 750H mm	31
NEWPORT Back-Lit LED Soft Square Metal Frame Mirror 1500x750mm	1500W x 750H mm	32

Click any row to open the corresponding specification drawing.

PREVIOUS

ARCHIE BACK-LIT LED HALF MOON MIRROR 1200X800MM - FRAMELESS




1200W x 800H mm


SPECIFICATIONS

OVERALL	1200W x 800H mm
DEPTH	38 mm
FRAME	Frameless
MOUNTING	Wall mounted
ORIENTATION	Horizontal
FUNCTION	Anti-fog + LED
CONTROL	Motion sensor + button
COLOUR TEMP	3000K / 4000K / 6000K
RATING	IP44 / SAA Approved

SPECIFICATION DRAWING



Front View



Back View

Front, side and back views - measurements in millimetres

SKU

LED-MA8012

[MAIN MENU](#)

ARCHIE BACK-LIT LED HALF MOON MIRROR 1200X800MM - METAL FRAME




1200W x 800H mm


SPECIFICATIONS

OVERALL	1200W x 800H mm
DEPTH	31 mm
FRAME	Metal frame
MOUNTING	Wall mounted
ORIENTATION	Horizontal
FUNCTION	Anti-fog + LED
CONTROL	Motion sensor + button
COLOUR TEMP	3000K / 4000K / 6000K
RATING	IP44 / SAA Approved

SPECIFICATION DRAWING



Front View



Back View

Front, side and back views - measurements in millimetres

SKU

LED-MA8012B
LED-MA8012G
LED-MA8012W

[MAIN MENU](#)

ARCHIE BACK-LIT LED HALF MOON MIRROR 1500X1000MM - FRAMELESS




1500W x 1000H mm


SPECIFICATIONS

OVERALL	1500W x 1000H mm
DEPTH	38 mm
FRAME	Frameless
MOUNTING	Wall mounted
ORIENTATION	Horizontal
FUNCTION	Anti-fog + LED
CONTROL	Motion sensor + button
COLOUR TEMP	3000K / 4000K / 6000K
RATING	IP44 / SAA Approved

SPECIFICATION DRAWING



Front View



Back View

Front, side and back views - measurements in millimetres

SKU

LED-MA1015

[MAIN MENU](#)

ARCHIE BACK-LIT LED HALF MOON MIRROR 1500X1000MM - METAL FRAME




1500W x 1000H mm


SPECIFICATIONS

OVERALL	1500W x 1000H mm
DEPTH	31 mm
FRAME	Metal frame
MOUNTING	Wall mounted
ORIENTATION	Horizontal
FUNCTION	Anti-fog + LED
CONTROL	Motion sensor + button
COLOUR TEMP	3000K / 4000K / 6000K
RATING	IP44 / SAA Approved

SPECIFICATION DRAWING



Front View



Back View

Front, side and back views - measurements in millimetres

SKU

- LED-MA1015B
- LED-MA1015G
- LED-MA1015W

[MAIN MENU](#)

ARCHIE LED MIRROR 900X600MM - FRAMELESS


600W x 900H mm



SPECIFICATIONS

OVERALL	600W x 900H mm
DEPTH	38 mm
FRAME	Frameless
MOUNTING	Wall mounted
ORIENTATION	Vertical
FUNCTION	Anti-fog + LED
CONTROL	Motion sensor + button
COLOUR TEMP	3000K / 4000K / 6000K
RATING	IP44 / SAA Approved

SPECIFICATION DRAWING



Front, side and back views - measurements in millimetres

SKU

LED-AR9060N

[MAIN MENU](#)

ARCHIE LED MIRROR 900X600MM - METAL FRAME


600W x 900H mm



SPECIFICATIONS

OVERALL	600W x 900H mm
DEPTH	31 mm
FRAME	Metal frame
MOUNTING	Wall mounted
ORIENTATION	Vertical
FUNCTION	Anti-fog + LED
CONTROL	Motion sensor + button
COLOUR TEMP	3000K / 4000K / 6000K
RATING	IP44 / SAA Approved

SPECIFICATION DRAWING



Front, side and back views - measurements in millimetres

SKU

- LED-AR9060B
- LED-AR9060G
- LED-AR9060W

[MAIN MENU](#)

ARCHIE FRONT-LIT LED MIRROR 1200X800MM


800W x 1200H mm



SPECIFICATIONS

OVERALL	800W x 1200H mm
DEPTH	31 mm
FRAME	Metal frame
MOUNTING	Wall mounted
ORIENTATION	Vertical
FUNCTION	Anti-fog + LED
CONTROL	Motion sensor + button
COLOUR TEMP	3000K / 4000K / 6000K
RATING	IP44 / SAA Approved

SPECIFICATION DRAWING



Front View



Side View

Front, side and back views - measurements in millimetres

SKU

- LED-ARM1280B
- LED-ARM1280G
- LED-ARM1280W

[MAIN MENU](#)

ARCHIE LED MIRROR 1500X1000MM - FRAMELESS


1000W x 1500H mm



SPECIFICATIONS

OVERALL	1000W x 1500H mm
DEPTH	38 mm
FRAME	Frameless
MOUNTING	Wall mounted
ORIENTATION	Vertical
FUNCTION	Anti-fog + LED
CONTROL	Motion sensor + button
COLOUR TEMP	3000K / 4000K / 6000K
RATING	IP44 / SAA Approved

SPECIFICATION DRAWING



Front View



Side View

Front, side and back views - measurements in millimetres

SKU

LED-AR1510

[MAIN MENU](#)

ARCHIE LED MIRROR 1500X1000MM - METAL FRAME


1000W x 1500H mm



SPECIFICATIONS

OVERALL	1000W x 1500H mm
DEPTH	31 mm
FRAME	Metal frame
MOUNTING	Wall mounted
ORIENTATION	Vertical
FUNCTION	Anti-fog + LED
CONTROL	Motion sensor + button
COLOUR TEMP	3000K / 4000K / 6000K
RATING	IP44 / SAA Approved

SPECIFICATION DRAWING



Front View



Side View

Front, side and back views - measurements in millimetres

SKU

- LED-ARM1510B
- LED-ARM1510G
- LED-ARM1510W

[MAIN MENU](#)

BONDI BACKLIT LED ROUND FRAMELESS MIRROR 800X800MM


800W x 800H mm



SPECIFICATIONS

OVERALL	800W x 800H mm
DEPTH	38 mm
FRAME	Frameless
MOUNTING	Wall mounted
ORIENTATION	Vertical
FUNCTION	Anti-fog + LED
CONTROL	Motion sensor + button
COLOUR TEMP	3000K / 4000K / 6000K
RATING	IP44 / SAA Approved

SPECIFICATION DRAWING



SKU

LED-R800N

Front, side and back views - measurements in millimetres

[MAIN MENU](#)

BONDI LED ROUND METAL FRAME MIRROR 800X800MM


800W x 800H mm



SPECIFICATIONS

OVERALL	800W x 800H mm
DEPTH	31 mm
FRAME	Metal frame
MOUNTING	Wall mounted
ORIENTATION	Vertical
FUNCTION	Anti-fog + LED
CONTROL	Motion sensor + button
COLOUR TEMP	3000K / 4000K / 6000K
RATING	IP44 / SAA Approved

SPECIFICATION DRAWING



Front, side and back views - measurements in millimetres

SKU

LED-R800B
LED-R800G
LED-R800W

[MAIN MENU](#)

NOOSA LED OVAL FRAMELESS MIRROR 900X450MM


450W x 900H mm



SPECIFICATIONS

OVERALL	450W x 900H mm
DEPTH	38 mm
FRAME	Frameless
MOUNTING	Wall mounted
ORIENTATION	Vertical
FUNCTION	Anti-fog + LED
CONTROL	Motion sensor + button
COLOUR TEMP	3000K / 4000K / 6000K
RATING	IP44 / SAA Approved

SPECIFICATION DRAWING



Front, side and back views - measurements in millimetres

SKU

LED-OV9045N

[MAIN MENU](#)

NOOSA LED OVAL METAL COLOURED FRAME TUFFI MIRROR 900X450MM




450W x 900H mm

SPECIFICATIONS

OVERALL	450W x 900H mm
DEPTH	31 mm
FRAME	Metal frame
MOUNTING	Wall mounted
ORIENTATION	Vertical
FUNCTION	Anti-fog + LED
CONTROL	Motion sensor + button
COLOUR TEMP	3000K / 4000K / 6000K
RATING	IP44 / SAA Approved

SPECIFICATION DRAWING



Front, side and back views - measurements in millimetres

SKU

LED-MF9045B-N
LED-MF9045G-N
LED-MF9045W-N

[MAIN MENU](#)

NOOSA BACK-LIT LED OVAL FRAMELESS MIRROR 900X600MM - HORIZONTAL OR VERTICAL




600W x 900H mm

SPECIFICATIONS

OVERALL	600W x 900H mm
DEPTH	38 mm
FRAME	Frameless
MOUNTING	Wall mounted
ORIENTATION	Vertical / Horizontal
FUNCTION	Anti-fog + LED
CONTROL	Motion sensor + button
COLOUR TEMP	3000K / 4000K / 6000K
RATING	IP44 / SAA Approved

SPECIFICATION DRAWING



Front, side and back views - measurements in millimetres

SKU

LED-OV9060

[MAIN MENU](#)

NOOSA LED OVAL METAL FRAME MIRROR 900X600MM


600W x 900H mm



SPECIFICATIONS

OVERALL	600W x 900H mm
DEPTH	31 mm
FRAME	Metal frame
MOUNTING	Wall mounted
ORIENTATION	Vertical / Horizontal
FUNCTION	Anti-fog + LED
CONTROL	Motion sensor + button
COLOUR TEMP	3000K / 4000K / 6000K
RATING	IP44 / SAA Approved

SPECIFICATION DRAWING



Front, side and back views - measurements in millimetres

SKU

LED-OVM9060B
LED-OVM9060G
LED-OVM9060W

[MAIN MENU](#)

NOOSA BACK-LIT LED OVAL FRAMELESS MIRROR 1200X750MM




1200W x 750H mm

SPECIFICATIONS

OVERALL	1200W x 750H mm
DEPTH	38 mm
FRAME	Frameless
MOUNTING	Wall mounted
ORIENTATION	Horizontal / Vertical
FUNCTION	Anti-fog + LED
CONTROL	Motion sensor + button
COLOUR TEMP	3000K / 4000K / 6000K
RATING	IP44 / SAA Approved

SPECIFICATION DRAWING



SKU

LED-OV1275

Front, side and back views - measurements in millimetres

[MAIN MENU](#)

NOOSA LED OVAL METAL FRAME MIRROR 1200X750MM


1200W x 750H mm



SPECIFICATIONS

OVERALL	1200W x 750H mm
DEPTH	31 mm
FRAME	Metal frame
MOUNTING	Wall mounted
ORIENTATION	Horizontal / Vertical
FUNCTION	Anti-fog + LED
CONTROL	Motion sensor + button
COLOUR TEMP	3000K / 4000K / 6000K
RATING	IP44 / SAA Approved

SPECIFICATION DRAWING



SKU

- LED-OVM1275B
- LED-OVM1275G
- LED-OVM1275W

Front, side and back views - measurements in millimetres

[MAIN MENU](#)

NOOSA BACK-LIT LED OVAL FRAMELESS MIRROR 1500X750MM


1500W x 750H mm



SPECIFICATIONS

OVERALL	1500W x 750H mm
DEPTH	38 mm
FRAME	Frameless
MOUNTING	Wall mounted
ORIENTATION	Horizontal / Vertical
FUNCTION	Anti-fog + LED
CONTROL	Motion sensor + button
COLOUR TEMP	3000K / 4000K / 6000K
RATING	IP44 / SAA Approved

SPECIFICATION DRAWING



SKU

LED-OV1575

Front, side and back views - measurements in millimetres

[MAIN MENU](#)

NOOSA BACK-LIT LED OVAL METAL FRAME MIRROR 1500X750MM




1500W x 750H mm

SPECIFICATIONS

OVERALL	1500W x 750H mm
DEPTH	31 mm
FRAME	Metal frame
MOUNTING	Wall mounted
ORIENTATION	Horizontal / Vertical
FUNCTION	Anti-fog + LED
CONTROL	Motion sensor + button
COLOUR TEMP	3000K / 4000K / 6000K
RATING	IP44 / SAA Approved

SPECIFICATION DRAWING



Front, side and back views - measurements in millimetres

SKU

- LED-OVM1575B
- LED-OVM1575G
- LED-OVM1575W

[MAIN MENU](#)

NOOSA BACK-LIT LED OVAL FRAMELESS MIRROR 1800X750MM


1800W x 750H mm



SPECIFICATIONS

OVERALL	1800W x 750H mm
DEPTH	38 mm
FRAME	Frameless
MOUNTING	Wall mounted
ORIENTATION	Horizontal / Vertical
FUNCTION	Anti-fog + LED
CONTROL	Motion sensor + button
COLOUR TEMP	3000K / 4000K / 6000K
RATING	IP44 / SAA Approved

SPECIFICATION DRAWING



Front View

Side View

Back View

Front, side and back views - measurements in millimetres

SKU

LED-OV1875

[MAIN MENU](#)

NOOSA FRONT-LIT LED OVAL METAL FRAME MIRROR 1800X750MM


1800W x 750H mm



SPECIFICATIONS

OVERALL	1800W x 750H mm
DEPTH	31 mm
FRAME	Metal frame
MOUNTING	Wall mounted
ORIENTATION	Horizontal / Vertical
FUNCTION	Anti-fog + LED
CONTROL	Motion sensor + button
COLOUR TEMP	3000K / 4000K / 6000K
RATING	IP44 / SAA Approved

SPECIFICATION DRAWING



Front View

Side View

Back View

Front, side and back views - measurements in millimetres

SKU

LED-OVM1875B
LED-OVM1875G
LED-OVM1875W

[MAIN MENU](#)

NEWPORT LED SOFT SQUARE FRAMELESS BACK LIT TUFFI MIRROR 900X450MM




450W x 900H mm

SPECIFICATIONS

OVERALL	450W x 900H mm
DEPTH	38 mm
FRAME	Frameless
MOUNTING	Wall mounted
ORIENTATION	Vertical
FUNCTION	Anti-fog + LED
CONTROL	Motion sensor + button
COLOUR TEMP	3000K / 4000K / 6000K
RATING	IP44 / SAA Approved

SPECIFICATION DRAWING



SKU

LED-SQ9045N

Front, side and back views - measurements in millimetres

[MAIN MENU](#)

NEWPORT BACKLIT LED SOFT SQUARE METAL FRAME MIRROR 900X450MM




450W x 900H mm

SPECIFICATIONS

OVERALL	450W x 900H mm
DEPTH	31 mm
FRAME	Metal frame
MOUNTING	Wall mounted
ORIENTATION	Vertical
FUNCTION	Anti-fog + LED
CONTROL	Motion sensor + button
COLOUR TEMP	3000K / 4000K / 6000K
RATING	IP44 / SAA Approved

SPECIFICATION DRAWING



SKU

LED-SQM9045B
LED-SQM9045G
LED-SQM9045W

Front, side and back views - measurements in millimetres

[MAIN MENU](#)

NEWPORT LED SOFT SQUARE FRAMELESS BACK LIT TUFFI MIRROR 900X600MM




600W x 900H mm

SPECIFICATIONS

OVERALL	600W x 900H mm
DEPTH	38 mm
FRAME	Frameless
MOUNTING	Wall mounted
ORIENTATION	Vertical / Horizontal
FUNCTION	Anti-fog + LED
CONTROL	Motion sensor + button
COLOUR TEMP	3000K / 4000K / 6000K
RATING	IP44 / SAA Approved

SPECIFICATION DRAWING



Front, side and back views - measurements in millimetres

SKU

LED-SQ9060N

[MAIN MENU](#)

NEWPORT BACK-LIT LED SOFT SQUARE METAL FRAME MIRROR 900X600MM




600W x 900H mm

SPECIFICATIONS

OVERALL	600W x 900H mm
DEPTH	31 mm
FRAME	Metal frame
MOUNTING	Wall mounted
ORIENTATION	Vertical / Horizontal
FUNCTION	Anti-fog + LED
CONTROL	Motion sensor + button
COLOUR TEMP	3000K / 4000K / 6000K
RATING	IP44 / SAA Approved

SPECIFICATION DRAWING



Front, side and back views - measurements in millimetres

SKU

LED-SQM9060B
LED-SQM9060G
LED-SQM9060W

[MAIN MENU](#)

NEWPORT LED SOFT SQUARE FRAMELESS BACK LIT TUFFI MIRROR 1200X750MM




1200W x 750H mm

SPECIFICATIONS

OVERALL	1200W x 750H mm
DEPTH	38 mm
FRAME	Frameless
MOUNTING	Wall mounted
ORIENTATION	Horizontal / Vertical
FUNCTION	Anti-fog + LED
CONTROL	Motion sensor + button
COLOUR TEMP	3000K / 4000K / 6000K
RATING	IP44 / SAA Approved


SPECIFICATION DRAWING



Front View




Side View



Back View

W



Top View

Front, side and back views - measurements in millimetres

SKU

LED-SQ1275N

[MAIN MENU](#)

NEWPORT LED SOFT SQUARE METAL FRAME MIRROR 1200X750MM




1200W x 750H mm

SPECIFICATIONS

OVERALL	1200W x 750H mm
DEPTH	31 mm
FRAME	Metal frame
MOUNTING	Wall mounted
ORIENTATION	Horizontal / Vertical
FUNCTION	Anti-fog + LED
CONTROL	Motion sensor + button
COLOUR TEMP	3000K / 4000K / 6000K
RATING	IP44 / SAA Approved

SPECIFICATION DRAWING



SKU

LED-SQM1275B
LED-SQM1275G
LED-SQM1275W

Front, side and back views - measurements in millimetres

[MAIN MENU](#)

NEWPORT LED SOFT SQUARE FRAMELESS BACK LIT TUFFI MIRROR 1500X750MM




1500W x 750H mm

SPECIFICATIONS

OVERALL	1500W x 750H mm
DEPTH	38 mm
FRAME	Frameless
MOUNTING	Wall mounted
ORIENTATION	Horizontal / Vertical
FUNCTION	Anti-fog + LED
CONTROL	Motion sensor + button
COLOUR TEMP	3000K / 4000K / 6000K
RATING	IP44 / SAA Approved

SPECIFICATION DRAWING



SKU

LED-SQ1575N

Front, side and back views - measurements in millimetres

[MAIN MENU](#)

NEWPORT BACK-LIT LED SOFT SQUARE METAL FRAME MIRROR 1500X750MM




1500W x 750H mm


SPECIFICATIONS

OVERALL	1500W x 750H mm
DEPTH	31 mm
FRAME	Metal frame
MOUNTING	Wall mounted
ORIENTATION	Horizontal / Vertical
FUNCTION	Anti-fog + LED
CONTROL	Motion sensor + button
COLOUR TEMP	3000K / 4000K / 6000K
RATING	IP44 / SAA Approved

SPECIFICATION DRAWING



Front View



Side View

Front, side and back views - measurements in millimetres

SKU

- LED-SQM1575B
- LED-SQM1575G
- LED-SQM1575W

[MAIN MENU](#)