



OTTI

LED SHAVING CABINETS

TECHNICAL DRAWING MASTER

2026

zure.com.au

CONTENTS

LED SHAVING CABINETS

MODEL	SIZE	PAGE
Newport LED Shaving Cabinet	450W x 900H mm	3
Newport LED Shaving Cabinet	900W x 750H mm	4
Newport LED Shaving Cabinet	1200W x 750H mm	5
Newport LED Shaving Cabinet	1500W x 750H mm	6
Newport LED Shaving Cabinet	1800W x 750H mm	7
Noosa LED Shaving Cabinet	450W x 900H mm	8
Archie LED Shaving Cabinet	600W x 900H mm	9
London LED Shaving Cabinet	800 mm diameter	10
Coogee LED Shaving Cabinet	900W x 600H mm	11
Coogee LED Shaving Cabinet	1200W x 750H mm	12
Coogee LED Shaving Cabinet	1500W x 900H mm	13
Coogee LED Shaving Cabinet	1800W x 900H mm	14

Click any row to open the corresponding technical drawing.

NEWPORT LED SHAVING CABINET

450W x 900H mm



DIMENSIONS

DOOR	900H x 450W mm - soft rectangle
CABINET	680H x 450W x 102D mm

DETAILS


Mounting	Wall mounted
Doors	1 soft-closing door
Opening	Opens from the right
Handle	Finger pull
Shelving	2 adjustable shelves
Construction	Moisture-resistant plywood
Power	Powerpoint + USB / USB-C
Lighting	3 colour function: cool / natural / warm
Control	Motion sensor + on/off press button
LED life	Up to 50,000 hours
Electrical	40W; input 170-265V; output 12V; IP44
Mirror	Anti-fog; 4mm copper-free exterior mirror

SKU

- LED-SSQ9045-VP
- LED-SSQ9045N-VP
- LED-SSQ9045B-VP
- LED-SSQ9045WL-VP
- LED-SSQ9045SW-VP

TECHNICAL DRAWING

Measurements in millimetres | Drawing not to scale



NEWPORT LED SHAVING CABINET

900W x 750H mm



DIMENSIONS

DOOR	900W x 750H mm
CABINET	750W x 600H x 128D mm

DETAILS


Mounting	Wall mounted
Doors	2 soft-closing doors
Opening	Opens from the outside
Handle	Finger pull
Shelving	Adjustable shelf
Construction	Moisture-resistant plywood
Power	Powerpoint + USB / USB-C
Lighting	3 colour function: cool / natural / warm
Control	Motion sensor + on/off press button
LED life	Up to 50,000 hours
Electrical	40W; input 170-265V; output 12V; IP44
Mirror	4mm copper-free exterior mirror
Install note	Wall-hung or semi-recessed; fully recessed installation not recommended

SKU

LED-SSQ9075-VP
LED-SSQ9075N-VP
LED-SSQ9075B-VP
LED-SSQ9075WL-VP
LED-SSQ9075SW-VP

TECHNICAL DRAWING

Measurements in millimetres | Drawing not to scale



[Back to contents](#)

NEWPORT LED SHAVING CABINET

1200W x 750H mm



DIMENSIONS

DOOR	1200W x 750H mm
CABINET	1050W x 600H x 128D mm

DETAILS


Mounting	Wall mounted
Doors	3 soft-closing doors
Opening	Opens from the outside
Handle	Finger pull
Shelving	Adjustable shelf
Construction	Moisture-resistant plywood
Power	Powerpoint + USB / USB-C
Lighting	3 colour function: cool / natural / warm
Control	Motion sensor + on/off press button
LED life	Up to 50,000 hours
Electrical	40W; input 170-265V; output 12V; IP44
Mirror	4mm copper-free exterior mirror
Install note	Wall-hung or semi-recessed; fully recessed installation not recommended

SKU

LED-SSQ1275-VP
LED-SSQ1275N-VP
LED-SSQ1275B-VP
LED-SSQ1275WL-VP
LED-SSQ1275SW-VP

TECHNICAL DRAWING

Measurements in millimetres | Drawing not to scale



[Back to contents](#)

NEWPORT LED SHAVING CABINET

1500W x 750H mm



DIMENSIONS

DOOR	1500W x 750H mm
CABINET	1350W x 600H x 128D mm

DETAILS


Mounting	Wall mounted
Doors	3 soft-closing doors
Opening	Opens from the outside
Handle	Finger pull
Shelving	Adjustable shelf
Construction	Moisture-resistant plywood
Power	Powerpoint + USB / USB-C
Lighting	3 colour function: cool / natural / warm
Control	Motion sensor + on/off press button
LED life	Up to 50,000 hours
Electrical	40W; input 170-265V; output 12V; IP44
Mirror	4mm copper-free exterior mirror
Install note	Wall-hung or semi-recessed; fully recessed installation not recommended

SKU

- LED-SSQ1575-VP
- LED-SSQ1575N-VP
- LED-SSQ1575B-VP
- LED-SSQ1575WL-VP
- LED-SSQ1575SW-VP

TECHNICAL DRAWING

Measurements in millimetres | Drawing not to scale



NEWPORT LED SHAVING CABINET

1800W x 750H mm



DIMENSIONS

DOOR	1800W x 750H mm
CABINET	1650W x 600H x 128D mm

DETAILS


Mounting	Wall mounted
Doors	3 soft-closing doors
Opening	Opens from the outside
Handle	Finger pull
Shelving	Adjustable shelf
Construction	Moisture-resistant plywood
Power	Powerpoint + USB / USB-C
Lighting	3 colour function: cool / natural / warm
Control	Motion sensor + on/off press button
LED life	Up to 50,000 hours
Electrical	40W; input 170-265V; output 12V; IP44
Mirror	4mm copper-free exterior mirror
Install note	Wall-hung or semi-recessed; fully recessed installation not recommended

SKU

LED-SSQ1875-VP
LED-SSQ1875B-VP
LED-SSQ1875WL-VP
LED-SSQ1875SW-VP

TECHNICAL DRAWING

Measurements in millimetres | Drawing not to scale



[Back to contents](#)

NOOSA LED SHAVING CABINET

450W x 900H mm



DIMENSIONS

DOOR 900H x 450W mm - pill shape

CABINET 480H x 450W x 102D mm

DETAILS


Mounting	Wall mounted
Doors	1 soft-closing door
Opening	Opens from the right
Handle	Finger pull
Shelving	Adjustable shelf
Construction	Moisture-resistant plywood
Power	Powerpoint + USB / USB-C
Lighting	3 colour function: cool / natural / warm
Control	Motion sensor + on/off press button
LED life	Up to 50,000 hours
Electrical	40W; input 170-265V; output 12V; IP44
Mirror	Anti-fog; 4mm copper-free exterior mirror

SKU

LED-SOV9045-VP
LED-SOV9045N-VP
LED-SOV9045B-VP
LED-SOV9045WL-VP
LED-SOV9045SW-VP

TECHNICAL DRAWING

Measurements in millimetres | Drawing not to scale



[Back to contents](#)

600W x 900H mm

DIMENSIONS

DOOR	900H x 600W mm
CABINET	584H x 600W x 108D mm

DETAILS


Mounting	Wall mounted
Doors	1 soft-closing door
Opening	Opens from the right
Handle	Finger pull
Shelving	Adjustable shelves
Construction	Moisture-resistant plywood
Power	Powerpoint + USB / USB-C
Lighting	3 colour function: cool / natural / warm
Control	Motion sensor + on/off press button
LED life	Up to 50,000 hours
Electrical	40W; input 170-265V; output 12V; IP44
Mirror	Anti-fog; 4mm copper-free exterior mirror

SKU

LED-ARSV9060-VP
LED-ARSV9060N-VP
LED-ARSV9060B-VP
LED-ARSV9060WL-VP
LED-ARSV9060SW-VP

TECHNICAL DRAWING

Measurements in millimetres | Drawing not to scale



[Back to contents](#)

LONDON LED SHAVING CABINET

800 mm diameter



DIMENSIONS

DOOR	800 mm diameter
CABINET	550W x 500H x 128D mm

DETAILS


Mounting	Wall mounted
Doors	1 soft-closing door
Opening	Opens from the right
Handle	Finger pull
Shelving	Adjustable glass shelves
Construction	Moisture-resistant plywood
Power	Powerpoint + USB / USB-C
Lighting	3 colour function: cool / natural / warm
Control	Motion sensor + on/off press button
LED life	Up to 50,000 hours
Electrical	40W; input 170-265V; output 12V; IP44
Mirror	Anti-fog; 4mm copper-free exterior mirror

SKU

LED-RSV800-VP

TECHNICAL DRAWING

Measurements in millimetres | Drawing not to scale



[Back to contents](#)

COOGEE LED SHAVING CABINET

900W x 600H mm



DIMENSIONS

DOOR	900W x 600H mm
CABINET	600W x 450H x 128D mm

DETAILS


Mounting	Wall mounted
Doors	2 soft-closing doors
Opening	Opens from the outside
Handle	Finger pull
Shelving	Adjustable shelf
Construction	Moisture-resistant plywood
Power	Powerpoint + USB / USB-C
Lighting	3 colour function: cool / natural / warm
Control	Motion sensor + on/off press button
LED life	Up to 50,000 hours
Electrical	40W; input 170-265V; output 12V; IP44
Mirror	4mm copper-free exterior mirror
Install note	Wall-hung or semi-recessed; fully recessed installation not recommended

SKU

LED-BOSV9060W-VP
LED-BOSV9060N-VP
LED-BOSV9060B-VP
LED-BOSV9060WL-VP
LED-BOSV9060SW-VP

TECHNICAL DRAWING

Measurements in millimetres | Drawing not to scale



[Back to contents](#)

COOGEE LED SHAVING CABINET

1200W x 750H mm



DIMENSIONS

DOOR	1200W x 750H mm
CABINET	750W x 600H x 128D mm

DETAILS


Mounting	Wall mounted
Doors	3 soft-closing doors
Opening	Opens from the outside
Handle	Finger pull
Shelving	Fixed shelf
Construction	Moisture-resistant plywood
Power	Powerpoint + USB / USB-C
Lighting	3 colour function: cool / natural / warm
Control	Motion sensor + on/off press button
LED life	Up to 50,000 hours
Electrical	40W; input 170-265V; output 12V; IP44
Mirror	4mm copper-free exterior mirror
Install note	Wall-hung or semi-recessed; fully recessed installation not recommended

SKU

LED-BOSV1275W-VP
LED-BOSV1275N-VP
LED-BOSV1275B-VP
LED-BOSV1275WL-VP
LED-BOSV1275SW-VP

TECHNICAL DRAWING

Measurements in millimetres | Drawing not to scale



[Back to contents](#)

COOGEE LED SHAVING CABINET

1500W x 900H mm



DIMENSIONS

DOOR	1500W x 900H mm
CABINET	992W x 650H x 128D mm

DETAILS


Mounting	Wall mounted
Doors	3 soft-closing doors
Opening	Opens from the outside
Handle	Finger pull
Shelving	Fixed shelving
Construction	Moisture-resistant plywood
Power	Powerpoint + USB / USB-C
Lighting	3 colour function: cool / natural / warm
Control	Motion sensor + on/off press button
LED life	Up to 50,000 hours
Electrical	60W; input 170-265V; output 12V; IP44
Mirror	4mm copper-free exterior mirror
Install note	Wall-hung or semi-recessed; fully recessed installation not recommended

SKU

LED-BOSV1590W-VP
LED-BOSV1590N-VP
LED-BOSV1590B-VP
LED-BOSV1590WL-VP
LED-BOSV1590SW-VP

TECHNICAL DRAWING

Measurements in millimetres | Drawing not to scale



COOGEE LED SHAVING CABINET

1800W x 900H mm



DIMENSIONS

DOOR	1800W x 900H mm
CABINET	1292W x 650H x 128D mm

DETAILS


Mounting	Wall mounted
Doors	3 soft-closing doors
Opening	Opens from the outside
Handle	Finger pull
Shelving	Fixed shelving
Construction	Moisture-resistant plywood
Power	Powerpoint + USB / USB-C
Lighting	3 colour function: cool / natural / warm
Control	Motion sensor + on/off press button
LED life	Up to 50,000 hours
Electrical	60W; input 170-265V; output 12V; IP44
Mirror	4mm copper-free exterior mirror
Install note	Wall-hung or semi-recessed; fully recessed installation not recommended

SKU

LED-BOSV1890W-VP
LED-BOSV1890N-VP
LED-BOSV1890B-VP
LED-BOSV1890WL-VP
LED-BOSV1890SW-VP

TECHNICAL DRAWING

Measurements in millimetres | Drawing not to scale



[Back to contents](#)